

BANDSAW BLADES & HANDSAWS

PRECISION MANUFACTURING SINCE 1901



MARKET LEADING


With a history dating back to our foundation in New York at the very start of the 20th century, Atlantic Service Company has been leading its rivals in offering the finest cutting products to the meat, fish and food industries for over 100 years, encompassing the greatest levels of expertise from both sides of the ocean that gave us our name.

Internationally renowned for our longer-lasting, durable and highest quality blades, we offer our services across the globe and are trusted to supply more than 50 countries in each of the five mainland continents each year.

At Atlantic Service Company we only ever use the highest carbon content polished steel (c1095). This ensures the strongest and highest quality product designed to last and enhance your overall efficiency, reducing the need for costly changeovers.

We are proud to continually set the industry standard by constantly striving for improvement in everything we do.

Atlantic Service Company Precision Manufacturing since 1901



To ensure trust in our products, routine quality assessments are carried out throughout the manufacturing process as part of our well-established Quality Management System - in line with ISO9001 international quality standards. This means that we can provide you with the utmost durability in bandsaw blades, precisely designed and engineered to offer the most consistent, accurate and cleanest cut in food processing operations.







FROZEN FISH / BONELESS PRODUCT

0.36mm x 16mm	$0.014" \times \frac{5}{8}"$	3 TPI
0.41mm x 16mm	0.016" x ⁵ / ₈ "	3 TPI

For use where waste and portion control are important, designed for frozen blocks and boneless product. Suitable for single- and multi-band machines.


0.50mm x 16mm	$0.020" \times {}^{5}/{}_{8}"$	3 TPI	
0.56mm x 16mm	0.022" x ⁵ / ₈ "	3 TPI	
0.60mm x 16mm	$0.024'' \times \frac{5}{8}''$	3 TPI	
0.63mm x 16mm	0.025" x ⁵ / ₈ "	3 TPI	

As per above, where thicker blade is required due to temperature $< -20^{\circ}\text{C} \ / \ -4\text{F}$

GENERAL ALL-PURPOSE

0.50mm x 13mm	$0.020" \times {}^{1}/{}_{2}"$	4 and 6 TPI
0.56mm x 13mm	$0.022" \times {}^{1}/{}_{2}"$	4 and 6 TPI
0.60mm x 13mm	0.024 " x $^{1}/_{2}$ "	4 and 6 TPI
0.45mm x 15mm	$0.018" \times {}^{5}/{}_{8}"$	4 and 6 TPI
0.45mm x 16mm	$0.018" \times {}^{5}/{}_{8}"$	4 and 6 TPI
0.50mm x 16mm	$0.020" \times {}^{5}/_{8}"$	4 and 6 TPI
0.56mm x 16mm	0.022" x ⁵ / ₈ " A*	4 and 6 TPI
0.60mm x 16mm	0.024 " x $^{5}/_{8}$ "	4 and 6 TPI
0.63mm x 16mm	$0.025" \times {}^{5}/{}_{8}"$	4 and 6 TPI
0.50mm x 19mm	$0.020" \times {}^{3}/_{4}"$	4 and 6 TPI
0.56mm x 19mm	$0.022" \times {}^{3}/_{4}" A*$	4 and 6 TPI
0.63mm x 19mm	$0.025" \times {}^{3}/_{4}"$	4 and 6 TPI

For use on standard speed machines in butcher shops, meat markets and supermarkets.









A* Available in stainless steel to meet strictest health requirements.

SCALLOP

0.56mm x 16mm

0.022" x ⁵/₈" Scallop 2 TPI Scallop

For boneless or low bone content, leaving no waste.



HIGH VOLUME / HEAVY DUTY

We heat-treat a selection of our blades to temper and soften for added longevity, helping you when cutting the harder-to-cut joints and bones.

0.50mm x 16mm	$0.020" \times {}^{5}/{}_{8}"$	3 TPI or Conquest
0.56mm x 16mm	$0.022" \times {}^{5}/_{8}"$	3 TPI or Conquest
0.60mm x 16mm	$0.024" \times \frac{5}{8}"$	3 TPI or Conquest
0.63mm x 16mm	0.025" x ⁵ / ₈ "	3 TPI or Conquest
0.50mm x 19mm	$0.020" \times {}^{3}/_{4}"$	3 TPI or Conquest
0.56mm x 19mm	$0.022" \times \frac{3}{4}"$	3 TPI or Conquest
0.63mm x 19mm	$0.025" \times \frac{3}{4}"$	3 TPI or Conquest
0.60mm x 25mm	0.024" x 1"	3 TPI or Conquest



For use on high speed machines and high speed rate for beef, pork and lamb with bones. Using Conquest offers reduced noise and even faster, cleaner cuts.

CARCASS SPLITTING

0.50mm x 19mm	$0.020" \times {}^{3}/_{4}"$	3 TPI or Conquest
0.56mm x 19mm	0.022" x ³ / ₄ " B*	3 TPI or Conquest
0.63mm x 19mm	$0.025'' \times \frac{3}{4}''$	3 TPI or Conquest



For use on carcass splitting saws to give aggressive, straight and long lasting cutting. Using Conquest offers reduced noise and even faster, cleaner cuts.

B* = High tensile steel grade / High manganese available

Products available in low, normal or high sets with hardened or tempered back heat treat options.

If you have a specification requirement on either width, thickness or teeth profile that is not shown here, please speak to your sales agent.

HANDSAWS

Our handsaw frames are manufactured using the finest quality stainless steel. The pistol grip handle and perfect balance of the frame allows for natural and effortless use, plus the camlock lever ensures ease of blade replacement and automatic tension regulation.

Blade Length: (mm)	444 508 559 635
Blade Length: (inches)	17.5 20 22 25

European Health & Safety Directive: Available in white, red, blue, green and yellow to help you comply with regulations on separation of meat.





HANDSAW BLADES

As with our bandsaw blades, these are precision ground and set to exact tolerances for fast, easy cutting.

0.56mm x 11mm	$1022 \times \frac{7}{16}$ "	10 TPI Regular
0.56mm x 13mm	$1022 \times \frac{1}{2}$	10 TPI Regular
0.56mm x 16mm	1022 x ⁵ / ₈ "	10 TPI Regular
0.56mm x 13mm	$1022 \text{ TH x } ^{1}/_{2}$ "	10 TPI TH
0.56mm x 16mm	$1022 \text{TH} \times \frac{5}{8}$ "	10 TPI TH
0.56mm x 16mm	1022 x ⁵ / ₈ "	10 TPI Stainless

Blades are carefully wrapped in anti-corrosive paper and fitted with pins as required.

OUR BLADES

Are sharper

Reduce material wastage

Last longer

Ensure minimum downtime

Give cleaner cuts

Permit high setting tolerances

SUPPLIED IN 3 WAYS



Welded and individually wrapped



Welded and boxed





- enquiries@atlantic-service.co.uk
 - atlantic-service.co.uk



